


TEHNIČNI LIST – DIMENZIJE HIDROMOTORJI MP – 6 ZOB




	L	L1
	(mm)	
MP (6) 50	135,5	6,67
MP (6) 80	139,5	10,67
MP (6) 100	142	13,33
MP (6) 125	145,5	16,67
MP (6) 160	150	21,33
MP (6) 200	155,5	26,67
MP (6) 250	162	33,33


		MP 50	MP 80	MP 100	MP 125	MP 160	MP 200	MP 250
cm/vrtljaji		49,5	79,2	99	123,8	158,4	198	247,5
Vrtljaji (rpm)	konstantni	1210	755	605	489	378	303	242
	s prekinitvami	1515	945	755	605	472	378	303
Navor (daNm)	konstantni	9,4	15,1	19,3	23,7	31,3	36,6	38
	s prekinitvami	11,9	19,5	23,7	29,8	37,8	45,6	58,3
	max.	14,3	22,4	27,5	36,5	43,8	55	68,5
Moč (kW)	konstantna	10,1	10,2	10,5	10,2	10,1	10	7,5
	s prekinitvami	12,2	12,5	12,8	12	12,1	12	
Priključni tlak (bar)	konstantni	175						
	s prekinitvami	200						
	max.	225						
Padec tlaka (bar)	konstantni	140						
	s prekinitvami	175						
	max.	225						
Pretok olja (L/min)	konstantni	60						
	s prekinitvami	75						
Priključni navoj		1/2"						
Teža (kg)		5,8	5,9	6,1	6,2	6,4	6,6	6,8

DIAGRAMI


MP 40




MP 50







MP 80




MP 100







MP 315



MP 400

